Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	77026	(method$5 process$4 steps procedure$1) same (identif$5 determin$5 measur$5 trac$5 discover$4) same (flow$3 path$1) same (source start first initial origin$2) same (destination end terminat$5 last next second final)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 10:55
S2	4112	((method$5 process$4 steps procedure$1) same (identif$5 determin$5 measur$5 trac$5 discover$4) same (flow$3 path$1) same (source start first initial origin$2) same (destination end terminat$5 last next second final)) and ((compar$5 match$5 associat$5 link$3 relat$4 equat$4) with (source start first initial origin$2) with address$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 10:41
S3	644	(((method$5 process$4 steps procedure$1) same (identif$5 determin$5 measur$5 trac$5 discover$4) same (flow$3 path$1) same (source start first initial origin$2) same (destination end terminat$5 last next second final)) and ((compar$5 match$5 associat$5 link$3 relat$4 equat$4) with (source start first initial origin$2) with address$5)) and "709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 10:41
S4	43	((((method$5 process$4 steps procedure$1) same (identif$5 determin$5 measur$5 trac$5 discover$4) same (flow$3 path$1) same (source start first initial origin$2) same (destination end terminat$5 last next second final)) and ((compar$5 match$5 associat$5 link$3 relat$4 equat$4) with (source start first initial origin$2) with address$5)) and "709"/$.ccls.) and ((service adj level adj agreement$1) SLA$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 10:43
S5	14180	(method$5 process$4 steps procedure$1) with (identif$5 determin$5 measur$5 trac$5 discover$4) with (flow$3 path$1) with (source start first initial origin$2) same (destination end terminat$5 last next second final)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 10:57

S6	192446	(service adj level adj agreement$1) SLA$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 11:01
S7	15	((service adj level adj agreement$1) SLA$1) with (network adj monitor$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 11:04
S8	35	((service adj level adj agreement$1) SLA$1) same (network adj monitor$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 11:22
S9	4016	network with (monitor$5 analyz$5 determin$5 analyz$5) with (flow trffic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 11:47
S10	770	(network with (monitor$5 analyz$5 determin$5 analyz$5) with (flow trffic)) and "709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 11:25
S11	716	(network with (monitor$5 analyz$5 determin$5 analyz$5) with (flow trffic)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 11:25
S12	241	(network with (monitor$5 analyz$5 determin$5 analyz$5) with (flow trffic)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 11:26
S13	8	((network with (monitor$5 analyz$5 determin$5 analyz$5) with (flow trffic)).ti.) and "709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 11:29
S14	58	((network with (monitor$5 analyz$5 determin$5 analyz$5) with (flow trffic)).ab.) and "709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 11:42
S15	3300	709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 11:42

S16	233	network with (monitor$5 analyz$5 determin$5 analyz$5) with (flow trffic) and 709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 12:07
S17	2	"5982748".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 12:08
S18	2	"5798949".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 12:08
S19	2	09/745260	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 14:28
S20	2	09/438680	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 14:42
S21	185	network with (flow adj (sampl$5 identif$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 14:56
S22	7	network with (flow adj (sampl$5 identif$5)) and (compar$ing with address$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 15:25
S23	0	(actual near (traffic adj flow)) and "6286052".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 16:00
S24	120	source$1 with destination$1 with correlat$5 with address$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 16:04
S25	0	source$1 with destination$1 with correlat$5 with address$2 with sent with received	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 16:05

S26	17	source$1 with destination$1 with (compar$5 associat$5) with address$2 with sent with received	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 16:17
S27	2	"6363477".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 16:21
S28	3	identif$5 same flow same (compar$5 with destination with addresses with packets)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 16:22
S29	3	(identif$5 monitor$5) same flow same (compar$5 with destination with addresses with packets)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 16:24
S30	10	(identif$5 monitor$5) same flow same ((compar$5 associat$5 correlat$5 match$5) with destination with addresses with packets)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/22 16:24
S31	1	"20030028611"	US-PGPUB	OR	OFF	2004/09/23 09:50
S32	937	(atm (asynchronous adj transfer adj mode)) same (VC (virtual adj circuit) VP (virtual adj path))	US-PGPUB	OR	OFF	2004/09/23 09:53
S33	180	(atm (asynchronous adj transfer adj mode)) same (VC (virtual adj circuit) VP (virtual adj path)) and (flow with (identif$5 monitor$5))	US-PGPUB	OR	OFF	2004/09/23 18:52
S34	1	"20020165956"	US-PGPUB	OR	OFF	2004/09/23 18:52
S35	1	"20020165956" and direction$5	US-PGPUB	OR	OFF	2004/09/23 18:54
S36	0	packet$1 with (time adj to adj live) with direction	US-PGPUB	OR	OFF	2004/09/23 18:55
S37	0	packet$1 with (time adj to adj live) with direction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 18:56
S38	0	packet$1 same (time adj to adj live) same direction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 18:57

S39	0	(time adj to adj live) same direction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 18:57
S40	0	(time adj to adj live) and direction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 18:58
S41	0	(time adj to adj live) and direction and flow and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 18:59
S42	0	(time adj to adj live)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 18:59
S43	0	time adj to adj live	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 19:00
S44	0	time near to near live	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 19:07
S45	741	time-to-live	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 19:07
S46	1	time-to-live with direction with flow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 19:08
S47	3	time-to-live with direction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 19:27
S48	0	"20010050903" and flow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 19:28

S49	29	((compress$5) with network$1 with address$2) and (flow with (identif$5 monitor$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 13:21
S50	1	"6345307".pn. and address$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 13:30
S51	1	"20020144156" and bit$1	US-PGPUB	OR	OFF	2004/09/27 13:41
S52	353	(compress$5) with network$1 with address$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 13:41
S53	353	((compress$5) with network$1 with address$2)".ti",	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 13:41
S54	11	((compress$5) with network$1 with address$2).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 14:13
S55	64	compress$5 with address$2 with significant with bit$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 14:31
S56	259	compress$5 with address$2 with IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 14:31
S57	3	(compress$5 with address$2 with IP).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 14:32
S58	41	(compress$5 with address$2 with IP).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 14:32
S59	464	709/247.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 16:04

S60	1	709/247.ccls. and ((network$5) with (address$2) with (combin$5 join$5 merg$5) with (packet$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:32
S61	0	709/247.ccls. and ((network$5 adj address$2) same ((combin$5 join$5 merg$5) with (packet$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 16:19
S62	0	709/247.ccls. and (((network$5 adj address$2) with (combin$5 join$5 merg$5)) same (packet$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 16:19
S63	24	709/247.ccls. and ((network$5 adjaddress$2) same ((combin$5 join$5 merg$5) with (packet$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:26
S64	0	"20020050903" and (network adj address$2)	US-PGPUB	OR	OFF	2004/09/29 16:43
S65	0	(subnetwork adj address$2) same bit$1 same (destination adj address$2)	US-PGPUB	OR	OFF	2004/09/29 16:53
S66	18	(network adj address$2) with bit$1 with (destination adj address$2)	US-PGPUB	OR	OFF	2004/09/29 17:23
S67	43	(network adj address$2) same bit$1 same (destination adj address$2)	US-PGPUB	OR	OFF	2004/09/29 17:24
S68	42	(network adj address$2) with bit$1 with (destination adj address$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 16:53
S69	4	(subnetwork adj address$2) same bit$1 same (destination adj address$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:00
S70	1	"6065064".pn. and (LSB (least adj significant adj bit$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:07
S71	0	"6065064".pn. and (LSB (least adj significant adj bit$1)) and compress$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:07

S72	1	((network adj address$2) with bit$1 with (destination adj address$2)) same class$4	US-PGPUB	OR	OFF	2004/09/29 17:24
S73	2	((network adj address$2) same bit$1 same (destination adj address$2)) same class$4	US-PGPUB	OR	OFF	2004/09/29 17:24
S74	141	((network$5 adj address$2) same ((combin$5 join$5 merg$5) with (packet$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:27
S75	76	709/247.ccls. and (compress$5 with address$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:33
S76	16	709/247.ccls. and ((compress$5 with address$2).ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:43
S77	2	"6304914".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:36
S78	0	709/247.ccls. and ((network adj address$2) with bit$1 with class$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:44
S79	40	((network adj address$2) with bit$1 with class$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/29 17:44
S80	1770	709/238.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 11:47
S81	93	709/238.ccls. and (network with (monitor$5 analyz$5 determin$5 analyz$5) with (flow trffic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 11:48
S86	6	(CIDR (classless adj inter-domain adj routing)) and (address$4 with (mask$5 compress$5 merg$5)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 10:19

S87	17	(CIDR (classless adj inter-domain adj routing)) and (address$4 with (mask$5 compress$5 merg$5)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 11:39
S88	1	"6237061".pn. and (LSB (least adj significant adj bit$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 10:26
S89	1	(flow adj identifier$1) and "6847613".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 11:39